ATWPOP235 | application typical | Open Spaces

Bill of materials

08-07-2026

Line	Cat	Qty	Part Number		
1	GUS	4	**6075**	Ext Weight (lbs)	0.00
			Uphostered Back, Weight Sensing Synchro-Tilter, Std with Arms, Std with Nylon Base. Std with 2.5" Casters. NOETIC	Ext Volume (Ft3)	0.00
2	GCU	4	**SCTAH**	Ext Weight (lbs)	0.00
			Table Mounted Bag Hook for Use on Tables, COLLABORATIVE SPACES	Ext Volume (Ft3)	0.00
3	GCU	4	**SOAH36**	Ext Weight (lbs)	5.08
			34.685"w, Upper Frame Horizontal, OPEN SPACES	Ext Volume (Ft3)	0.08
4	GCU	2	**SOAH54**	Ext Weight (lbs)	3.90
			53.685"w, Upper Frame Horizontal, OPEN SPACES	Ext Volume (Ft3)	0.06
5	GCU	2	**SOAHDH**	Ext Weight (lbs)	7.48
			Hanging Document Holder for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.34
6	GCU	4	**SOAHH01**	Ext Weight (lbs)	0.36
			Standard Hanging Hook for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.04
7	GCU	4	**SOAHH03**	Ext Weight (lbs)	1.48
			Headphone Hook for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.04
8	GCU	2	**SOAHPB3930**	Ext Weight (lbs)	10.86
			30"w x 33"h, Hanging Pegboard, Sits Inside Bottom Channel of Beam, Choose Next Size Down to Fit onto the Upper Frame, OPEN	Ext Volume (Ft3)	0.86
9	GCU	2	**SOAHPL**	Ext Weight (lbs)	6.44
			Hanging Planter, OPEN SPACES	Ext Volume (Ft3)	1.24
10	GCU	4	**SOAHTH**	Ext Weight (lbs)	1.36
			Hanging Tray for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.28
11	GCU	2	**SOAHWB3936**	Ext Weight (lbs)	49.54
			36"w x 33"h, Hanging Whiteboard, Sits Inside Bottom Channel of Beam, Choose Next Size Down to Fit onto the Upper Frame, OPEN	Ext Volume (Ft3)	1.04
12	GCU	2	**SOASHI36**	Ext Weight (lbs)	96.06
			8"d x 34.9"w x 1"h, Beam Shelf Inset, Fits In-Between Verticals, Includes Brackets, OPEN SPACES	Ext Volume (Ft3)	0.32
13	GCU	4	**SOASHS36**	Ext Weight (lbs)	138.68
			8"d x 34.34"w x 1"h, Upper Shelf Inset, Fits In-Between Verticals, Includes Brackets, OPEN SPACES	Ext Volume (Ft3)	0.64
14	GCU	2	**SOAVPD391S**	Ext Weight (lbs)	5.60
			39"h, Vertical Post Middle, Connection to Shelf on One Side, OPEN SPACES	Ext Volume (Ft3)	0.60
15	GCU	1	**SOAVPD392S**	Ext Weight (lbs)	2.81
			39"h, Vertical Post Middle, Connection to Shelf on Two Sides, OPEN SPACES	Ext Volume (Ft3)	0.30
16	GCU	6	**SOAVPS39NS**	Ext Weight (lbs)	16.32
			39"h, Vertical Post End, No Shelf Connection, OPEN SPACES	Ext Volume (Ft3)	1.20

Bill of materials

08-07-2026

Line	Cat	Qty	Part Number		
17	GCU	1	**SOEE8BF0121**	Ext Weight (lbs)	2.82
			Basefeed Kit, Kit Consists of Bracket + Cover + Basefeed, Attaches Inside of Leg, Used w/27" Beam, OPEN SPACES	Ext Volume (Ft3)	0.05
18	GCU	3	**SOEE8D1**	Ext Weight (lbs)	0.30
			Circuit #1, Black Duplex Receptacle, Utility Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.03
19	GCU	3	**SOEE8D2**	Ext Weight (lbs)	0.30
			Circuit #2, Black Duplex Receptacle, Utility Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.03
20	GCU	3	**SOEE8DA**	Ext Weight (lbs)	0.30
			Circuit #A, Black Duplex Receptacle, Dedicated Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.03
21	GCU	3	**SOEE8DB**	Ext Weight (lbs)	0.30
			Circuit #B, Black Duplex Receptacle, Dedicated Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.03
22	GCU	1	**SOEE8JC28**	Ext Weight (lbs)	1.00
			28", Jumper Cable, Connects Two Beams at an Inline Connection, OPEN SPACES	Ext Volume (Ft3)	1.17
23	GCU	2	**SOEE8JC30**	Ext Weight (lbs)	2.88
			30", Jumper Cable, Connects Two Beams at a Junction, OPEN SPACES	Ext Volume (Ft3)	2.34
24	GCU	2	**SOEE8PDH54**	Ext Weight (lbs)	4.00
			54" Power Distrubution Housing, OPEN SPACES	Ext Volume (Ft3)	4.00
25	GCU	2	**SOEE8PDH72**	Ext Weight (lbs)	6.08
			72" Power Distrubution Housing, OPEN SPACES	Ext Volume (Ft3)	6.40
26	GCU	2	**SOEJB54**	Ext Weight (lbs)	31.10
			7"h x 54"w, End Leg/Angle Junction Beam, End Leg Connection on One End & Angle Junction Connection on Other End, OPEN SPACES	Ext Volume (Ft3)	1.32
27	GCU	4	**SOHACB**	Ext Weight (lbs)	2.28
			Height Adjustable Desk to Beam Cable Manager, OPEN SPACES	Ext Volume (Ft3)	0.96
28	GCU	4	**SOHAFE2C18T24**	Ext Weight (lbs)	45.44
			25"-51.2"h, Height Adjustable Base Extended Range, Used w/18"d - 24"d Surfaces, Includes Controller & Handset, Does not Incude HAT	Ext Volume (Ft3)	61.56
29	GCU	1	**SOIJB72**	Ext Weight (lbs)	20.66
			7"h x 72"w, Inline/Angle Junction Beam, Inline Connection on One End & Angle Junction Connection on Other End, OPEN SPACES	Ext Volume (Ft3)	0.88
30	GCU	1	**SOILB72**	Ext Weight (lbs)	20.44
			7"h x 72"w, Inline/End Leg Beam, Inline Connection on One End & End Leg Connection on Other End, OPEN SPACES	Ext Volume (Ft3)	0.88
31	GCU	1	**SOJ3W90H27**	Ext Weight (lbs)	5.71
			27"h, 3-Way 90 Degree Post Leg, To be used w/Junction Beams, OPEN SPACES	Ext Volume (Ft3)	0.87
32	GCU	3	**SOLEB27**	Ext Weight (lbs)	12.15
			27"h x 18"w, End Leg, Includes End Cap, End Leg Supports a Beam with an End Leg Connection at One or Two Ends, OPEN SPACES	Ext Volume (Ft3)	3.03

ATWPOP235 | application typical | Open Spaces

Bill of materials

08-07-2026

Line	Cat	Qty	Part Number		
33	GCU	1	**SOLMT27**	Ext Weight (lbs)	3.92
			27"h x 18"w, Mid T Leg, Supports a Beam Between Two Inline Beams at an Inline Connection, OPEN SPACES	Ext Volume (Ft3)	1.51
34	GCU	2	**SOWACWP2352D24**	Ext Weight (lbs)	32.56
			20"d x 54"w x 23"h, Felt Corner Wrap Privacy Panel, OPEN SPACES	Ext Volume (Ft3)	24.52
35	GCU	4	**SOWHSR2352**	Ext Weight (lbs)	160.88
			23"d x 52"w x 1"h, Rectangular Freestanding Worksurface w/Small Radius Corners, Used w/Height Adjustable Base or Fixed Height Leg	Ext Volume (Ft3)	3.00