ATWPOP246 | application typical | Open Spaces

Bill of materials

08-14-2026

Line	Cat	Qty	Part Number		
1	GUS	2	**6075**	Ext Weight (lbs)	0.00
			Uphostered Back, Weight Sensing Synchro-Tilter, Std with Arms, Std with Nylon Base, Std with 2.5" Casters, NOETIC	Ext Volume (Ft3)	0.00
2	GCU	2	**SCTACT**	Ext Weight (lbs)	0.00
			PET Felt Wire Manager, COLLABORATIVE SPACES	Ext Volume (Ft3)	0.00
3	GCU	2	**SCTAPEA**	Ext Weight (lbs)	0.00
			Nik Edge/Clamp Mount Power Module, 1 AC / 2 USB, COLLABORATIVE SPACES	Ext Volume (Ft3)	0.00
4	GCU	1	**SKSLCHBFL2066**	Ext Weight (lbs)	160.09
			20"d x 66"w x 14"h, Low Storage, Left, 24" File Drawer, 24" Box/Box/Drawers, 18" Hinged Door, OFFICE SPACES	Ext Volume (Ft3)	10.34
5	GCU	1	**SKSLCHBFR2066**	Ext Weight (lbs)	160.09
			20"d x 66"w x 14"h, Low Storage, Right, 18" Hinged Door, 24" Box/Box/Drawers, 24" File Drawer, OFFICE SPACES	Ext Volume (Ft3)	10.34
6	GCU	2	**SKSLU2066**	Ext Weight (lbs)	33.36
			20"d x 66"w x 6"h, Low & High Storage Undercarriage w/Legs, Can be used on Single Units of the Same Size or a Combo of Low/High	Ext Volume (Ft3)	9.16
7	GCU	1	**SKWARPL2366D24**	Ext Weight (lbs)	5.06
			21"d x 41.8"w x 23"h, Left Curved Privacy Panel, Must be used on the Opposite Side of the Credenza, OFFICE SPACES	Ext Volume (Ft3)	2.64
8	GCU	1	**SKWARPR2366D24**	Ext Weight (lbs)	5.06
			21"d x 41.8"w x 23"h, Right Curved Privacy Panel, Must be used on the Opposite Side of the Credenza, OFFICE SPACES	Ext Volume (Ft3)	2.64
9	GCU	2	**SKWESCT**	Ext Weight (lbs)	0.78
			Storage Cable Tube, Black Only, Aligns Between the Surface and Grommet on the Lower Storage Unit, Capacity 4 Wires, OFFICE	Ext Volume (Ft3)	0.10
10	GCU	4	**SKWSDC66**	Ext Weight (lbs)	15.88
			2"d x 36"w x 1.75"h, HAT Channel for Worksurfaces, Black Only, OFFICE SPACES	Ext Volume (Ft3)	0.28
11	GCU	2	**SKWSHA2C18T24**	Ext Weight (lbs)	162.62
			Height Adjustable 2 Column Kit, For 18"d or 24"d Surfaces, Used w/Storage on 1 Side, OFFICE SPACES	Ext Volume (Ft3)	30.78
12	GCU	1	**SKWSRBTL2466**	Ext Weight (lbs)	49.31
			24"d x 66"w x 1"h, Rectangular Worksurface w/Radius on Top Left & Bottom Right, Surfaces Unsupported 54â€□ or Up Require Suppor	Ext Volume (Ft3)	0.92
13	GCU	1	**SKWSRTBL2466**	Ext Weight (lbs)	49.31
			24"d x 66"w x 1"h, Rectangular Worksurface w/Radius on Bottom Left & Top Right, Surfaces Unsupported 54â€□ or Up Require Suppo	Ext Volume (Ft3)	0.92
14	GCU	4	**SOAH36**	Ext Weight (lbs)	5.08
			34.685"w, Upper Frame Horizontal, OPEN SPACES	Ext Volume (Ft3)	0.08
15	GCU	2	**SOAHDH**	Ext Weight (lbs)	7.48
			Hanging Document Holder for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.34
16	GCU	2	**SOAHH01**	Ext Weight (lbs)	0.18
			Standard Hanging Hook for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.02

ATWPOP246 | application typical | Open Spaces

Bill of materials

08-14-2026

Line	Cat	Qty	Part Number		
17	GCU	2	**SOAHH03**	Ext Weight (lbs)	0.74
			Headphone Hook for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.02
18	GCU	2	**SOAHPB4530**	Ext Weight (lbs)	12.50
			30"w x 39"h, Hanging Pegboard, Sits Inside Bottom Channel of Beam, Choose Next Size Down to Fit onto the Upper Frame, OPEN	Ext Volume (Ft3)	1.02
19	GCU	2	**SOAHTH**	Ext Weight (lbs)	0.68
			Hanging Tray for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.14
20	GCU	2	**SOAHWBH**	Ext Weight (lbs)	12.56
			Hanging Whiteboard for Hanging Pegbaord, OPEN SPACES	Ext Volume (Ft3)	0.18
21	GCU	2	**SOASHI36**	Ext Weight (lbs)	96.06
			8"d x 34.9"w x 1"h, Beam Shelf Inset, Fits In-Between Verticals, Includes Brackets, OPEN SPACES	Ext Volume (Ft3)	0.32
22	GCU	4	**SOASHS36**	Ext Weight (lbs)	138.68
			8"d x 34.34"w x 1"h, Upper Shelf Inset, Fits In-Between Verticals, Includes Brackets, OPEN SPACES	Ext Volume (Ft3)	0.64
23	GCU	2	**SOAVPD451S**	Ext Weight (lbs)	6.34
			45"h, Vertical Post Middle, Connection to Shelf on One Side, OPEN SPACES	Ext Volume (Ft3)	0.70
24	GCU	1	**SOAVPD452S**	Ext Weight (lbs)	3.18
			45"h, Vertical Post Middle, Connection to Shelf on Two Sides, OPEN SPACES	Ext Volume (Ft3)	0.35
25	GCU	2	**SOAVPS45NS**	Ext Weight (lbs)	6.18
			45"h, Vertical Post End, No Shelf Connection, OPEN SPACES	Ext Volume (Ft3)	0.46
26	GCU	1	**SOEE8BF0121**	Ext Weight (lbs)	2.82
			Basefeed Kit, Kit Consists of Bracket + Cover + Basefeed, Attaches Inside of Leg, Used w/27" Beam, OPEN SPACES	Ext Volume (Ft3)	0.05
27	GCU	1	**SOEE8D1**	Ext Weight (lbs)	0.10
			Circuit #1, Black Duplex Receptacle, Utility Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.01
28	GCU	1	**SOEE8D2**	Ext Weight (lbs)	0.10
			Circuit #2, Black Duplex Receptacle, Utility Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.01
29	GCU	1	**SOEE8DA**	Ext Weight (lbs)	0.10
			Circuit #A, Black Duplex Receptacle, Dedicated Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.01
30	GCU	1	**SOEE8DB**	Ext Weight (lbs)	0.10
			Circuit #B, Black Duplex Receptacle, Dedicated Circuit, Snaps into Power Distribution Housing, OPEN SPACES	Ext Volume (Ft3)	0.01
31	GCU	1	**SOEE8JC28**	Ext Weight (lbs)	1.00
			28", Jumper Cable, Connects Two Beams at an Inline Connection, OPEN SPACES	Ext Volume (Ft3)	1.17
32	GCU	2	**SOEE8PDH72**	Ext Weight (lbs)	6.08
			72" Power Distrubution Housing, OPEN SPACES	Ext Volume (Ft3)	6.40

ATWPOP246 | application typical | Open Spaces

Bill of materials

08-14-2026

Line	Cat	Qty	Part Number		
33	GCU	2	**SOILB72**	Ext Weight (lbs)	40.88
			7"h x 72"w, Inline/End Leg Beam, Inline Connection on One End & End Leg Connection on Other End, OPEN SPACES	Ext Volume (Ft3)	1.76
34	GCU	2	**SOLEB27L24**	Ext Weight (lbs)	8.18
			27"h x 24"w, End Leg, Includes End Cap, End Leg Supports a Beam with an End Leg Connection at One or Two Ends, OPEN SPACES	Ext Volume (Ft3)	2.08
35	GCU	1	**SOLMT27L24**	Ext Weight (lbs)	3.92
			27"h x 24"w, Mid T Leg, Supports a Beam Between Two Inline Beams at an Inline Connection, OPEN SPACES	Ext Volume (Ft3)	1.51
36	GCU	1	**SOSWCDLF20**	Ext Weight (lbs)	198.00
			20"d x 14"w x 19"h, Mobile Work Cart, Left Hinged Door w/Felt Wrap Around, OPEN SPACES	Ext Volume (Ft3)	1.99
37	GCU	1	**SOSWCDRF20**	Ext Weight (lbs)	198.00
			20"d x 14"w x 19"h, Mobile Work Cart, Right Hinged Door w/Felt Wrap Around, OPEN SPACES	Ext Volume (Ft3)	1.99