gc citi seating | product specification

Lounge Seating
Models: GC7875, GC7876, GC7877, GC7878, GC7895, GC7896, GC7897, GC7898

Ottoman
Model: GC7879

Single Chair Dimensions (Models: GC7875, GC7895)

Overall Depth		31 in / 787 mm
Overall Width	GC7875	30 in / 762 mm
	GC7895	21 in / 533 mm
Overall Height	GC7875	30 in / 762 mm
	GC7895	30.75 in / 781 mm
Seat Depth	GC7875	19.5 in / 495 mm
	GC7895	18.5 in / 470 mm
Seat Width		21 in / 533 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		12.5 in / 318 mm
Arm Height - From Seat	GC7875	21 in / 533 mm
Product Weight	GC7875	56 lb / 25.5 kg
	GC7895	30 lb / 13.6 kg
Shipping Cube	GC7875	21 ft³ / 0.59 m³
	GC7895	15.5 ft³ / 0.44 m³

Two Seat Sofa Dimensions (Models: GC7876, GC7896)

Overall Depth		31 in / 787 mm
Overall Width	GC7876	50.5 in / 1283 mm
	GC7896	42.5 in / 1080 mm
Overall Height	GC7876	30 in / 762 mm
	GC7896	30.75 in / 781 mm
Seat Depth		19.5 in / 495 mm
Seat Width		42.5 in / 1080 mm
Seat Height	GC7876	17.5 in / 445 mm
Back Height - From Seat	GC7876	12.5 in / 318 mm
	GC7896	13.25 in / 337 mm
Arm Height - From Seat	GC7876	7.5 in / 191 mm
Product Weight	GC7876	97 lb / 44.1 kg
	GC7896	70 lb / 31.8 kg
Shipping Cube		36 ft³ / 1.02 m³



GC7875



GC7875RTL



GC7875LTM



GC7879



GC7876



GC7877

Three Seat Sofa Dimensions (Models: GC7877, GC7897)

Overall Depth		31 in / 787 mm
Overall Width	GC7877	72 in / 1829 mm
	GC7897	63.5 in / 1613 mm
Overall Height	GC7877	30 in / 762 mm
	GC7897	30.75 in / 781 mm
Seat Depth		19.5 in / 495 mm
Seat Width		63.5 in / 1613 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat	GC7877	12.5 in / 318 mm
	GC7897	13.25 in / 337 mm
Arm Height - From Seat	GC7877	7.5 in / 191 mm
Product Weight	GC7877	128 lb / 58.2 kg
	GC7897	102 lb / 46.4 kg
Shipping Cube		50.25 ft³ / 1.42 m³

Four Seat Sofa Dimensions (Model: GC7878)

Overall Depth	31 in / 787 mm
Overall Width	93.5 in / 2375 mm
Overall Height	30 in / 762 mm
Seat Depth	19.5 in / 495 mm
Seat Width	84 in / 2134 mm
Seat Height	17.5 in / 445 mm
Back Height - From Seat	12.5 in / 318 mm
Arm Height - From Seat	7.5 in / 191 mm
Product Weight	168 lb / 76.4 kg
Shipping Cube	69 ft³ / 1.95 m³

Ottoman Dimensions (Model: GC7879)

Overall Depth	22 in / 559 mm
Overall Width	22 in / 559 mm
Overall Height	17 in / 432 mm
Product Weight	23 lb / 10.5 kg
Shipping Cube	7.5 ft³ / 0.21 m³

Contact sales representative for more information.

Features

- Leather lounge seating with compact proportions
- Fixed, non-removable seat cushion (for public areas)
- Shipped fully assembled

MODEL: GC7879

- Matching ottoman

Options

- Some models allow tablet arms to be installed in any or all arms rests if specified at time of order
- Tablet arms are available in several laminate finishes. Tablet arms are also available in an epoxy finish with a rounded triangular tapered edge profile
- Steel legs are available in Black or Tungsten finish. Chrome finish also available with an upcharge
- Non-cylindrical wood legs are available in several finishes

COM Yardage

Yardage is based on unmatched materials with widths of 54 inches for seating

MODEL: GC7875

- Back: 1.00 yards
- Seat: 3.75 yards
- Total: 4.75 yards

MODEL: GC7876

- Back: 2.50 yards
- Seat: 4.50 yards
- Total: 7.00 yards

MODEL: GC7877

- Back: 3.25 yards
- Seat: 5.75 yards
- Total: 9.00 yards

MODEL: GC7878

- Back: 4.50 yards
- Seat: 7.00 yards
- Total: 11.50 yards

MODEL: GC7879

- Total: 1.75 yards

MODEL: GC7895

- Back: 1.50 yards
- Seat: 2.00 yards
- Total: 3.50 yards

MODEL: GC7896

- Back: 2.50 yards
- Seat: 3.25 yards
- Total: 5.75 yards

MODEL: GC7897

- Back: 3.25 yards
- Seat: 4.75 yards
- Total: 8.00 yards

MODEL: GC7898

- Back: 2.50 yards
- Seat: 3.25 yards
- Total: 10.75 yards

Infection Control
- No Velcro on seat or back
- Seam sealing option
- Moisture barrier option
- Seat is secured using open frame structure, eliminating any barriers and traps below seat surface
- Seat is zippered to allow cushion replacement
- Front edge of seat is seamless
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application, a clear water wipe down occur to avoid chemical build up that will lead to deterioration of a textile. Contact Global should information on using a specific disinfectant be required

Construction (Seat)
- Flexible webbed seat suspension system
- Plywood seat insert
- Base frame:
  - 0.625 in (16 mm) thick plywood frame, 5-ply
  - Interlocking puzzle box construction
  - Underside is sealed with fabric lining

Construction (Arms and Back)
- 0.5 in (13 mm) thick plywood arm frame, 4-ply
- 0.625 in (16 mm) thick plywood back frame, 5-ply
- Metal-to-metal connections between components to improve ease of assembly and prolong product life cycle

Construction (Legs)
- 5 in (127 mm) high tubular metal legs
- 2 in (51 mm) diameter

Construction (Tablets)
- Thermally fused laminate, 0.75 in (19 mm) thick
- Tablets are 16.5 in (419 mm) wide and 12 in (305 mm) deep

Upholstery
- Upholstered in Crypton or vinyl textile as standard
- Can be upholstered in fabric or leather on request
- Combinations of leathers on different parts of the seating are possible. Contact sales rep for more information
- Decorative double needle top stitch detail (leather only)

Foam (Seat)
MODELS: GC7875, GC7876, GC7877, GC7878, GC7879
- 5 in (127 mm) thick Ultracell foam cushion
- Density: 2.6 lb, ILD: 35

MODELS: GC7895, GC7896, GC7897, GC7898
- 2 in (51 mm) thick Ultracell foam cushion
- Density: 2.6 lb, ILD: 35

Foam (Back)
MODELS: GC7875, GC7876, GC7877, GC7878, GC7895, GC7896, GC7898, GC7897
- Back foam is 5 in (127 mm) thick foam
- Density: 1.5 lb, ILD: 27

Foam (Arms)
MODELS: 7875, 7876, 7877
- Arm top foam is 0.5 in (13 mm) thick
- Density: 1.6 lb, ILD: 80

Weight Capacity
Designed for an active weight capacity of 300 lb per seat

Warranty
Lifetime warranty on all components except the following:
- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating
All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental
View Environmental Data Sheets online. All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications
- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.