gc belong seating | product specification

Healthcare Patient and Waiting Room Chairs
Models: GC4230, GC4230HB, GC4231, GC4231-24, GC4231HB, GC4232, GC4232HB, GC4233, GC4233HB, GC4234, GC4234HB, GC4235, GC4235HB, GC4236, GC4236HB, GC4240, GC4240HB, GC4242, GC4242HB, GC4243, GC4243HB, GC4244HB, GC4245HB

Healthcare Bariatric Chairs
Models: GC4241, GC4241-24, GC4241HB

Dimensions
Single Seat Chairs (Models: GC4230[HB], GC4231[HB], GC4240[HB], GC4242[HB], GC4243[HB], GC4244HB, GC4245HB)

Overall Depth	GC4230[HB], GC4231[HB]	28 in / 711 mm
	GC4240[HB]	26 in / 660 mm
	all others	27.5 in / 699 mm
Overall Width	GC4230[HB]	24.75 in / 629 mm
	GC4231[HB]	26.5 in / 673 mm
	all others	26.75 in / 679 mm
Overall Height	GC42##	37.5 in / 953 mm
	GC42##HB	42.5 in / 1080 mm
Seat Depth		18 in / 457 mm
Seat Width		22 in / 559mm
Seat Height		18 in / 457 mm
Back Height - From Seat	GC42##	19.5 in / 495 mm
	GC42##HB	24.5 in / 622 mm
Armrest Clearance	GC4230[HB]	no arms
	all others	21 in / 533 mm
Arm Height - From Seat	GC4230[HB]	no arms
	all others	7.5 in / 191 mm
Product Weight		33-46 lbs. / 15-20.9 kg
Shipping Cube	GC4240HB, GC4242HB, GC4243HB	22.25 ft³ / 0.63 m³
	all others	20.25 ft³ / 0.57 m³



4236HB



GC4243

Two Seaters (Models: GC4232[HB], GC4234[HB], GC4236[HB])

Overall Depth		26 in / 660 mm
Overall Width	GC4232[HB]	49.75 in / 1264 mm
	GC4234[HB]	50.75 in / 1289 mm
	GC4236[HB]	72.75 in / 1848 mm
Overall Height	GC423#	37.5 in / 953 mm
	GC423#HB	42.5 in / 1080 mm
Seat Depth		18 in / 457 mm
Seat Width (each)		22 in / 559 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	GC423#	19.5 in / 495 mm
	GC423#HB	24.5 in / 622 mm
Armrest Clearance	GC4232[HB]	44.5 in / 1130 mm
	GC4234[HB]	21 in / 533 mm
	GC4236[HB]	71.2 in / 1810 mm
Arm Height - From Seat		7.5 in / 191 mm
Product Weight		82-98 lbs. / 37.3-44.5 kg
Shipping Cube	GC4232[HB] GC4234[HB]	43-56.5 ft³ / 1.22-1.6 m³
	GC4236	65.25 ft³ / 1.85 m³
	GC4236HB	80.75 ft³ / 2.29 m³

Three Seaters (Models: GC4233[HB], GC4235[HB])

Overall Depth		26 in / 660 mm
Overall Width	GC4233[HB]	72.75 in / 1848 mm
	GC4235[HB]	74.5 in / 1892 mm
Overall Height	GC423#	37.5 in / 953 mm
	GC423#HB	42.5 in / 1080 mm
Seat Depth		18 in / 457 mm
Seat Width (each)		22 in / 559 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	GC423#	19.5 in / 495 mm
	GC423#HB	24.5 in / 622 mm
Armrest Clearance	GC4233[HB]	71.2 in / 1810 mm
	GC4235[HB]	21.5 in / 546 mm
Arm Height - From Seat		7.5 in / 191 mm
Product Weight		120-136 lbs. / 54.5-61.8 kg
Shipping Cube	GC423#	65.25 ft³ / 1.85 m³
	GC423#HB	80.75 ft³ / 2.29 m³

Bariatric Chairs (Models: GC4241, GC4241HB)

Overall Depth		28 in / 771 mm
Overall Width		37.5 in / 953 mm
Overall Height	GC4241	37.5 in / 953 mm
	GC4241HB	43 in / 1092 mm
Seat Depth		18 in / 457 mm
Seat Width		32.5 in / 826 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	GC4241	19.5 in / 495 mm
	GC4241HB	24.5 in / 622 mm
Armrest Clearance		32 in / 813 mm
Arm Height - From Seat		7.5 in / 191 mm
Product Weight	GC4241	56 lbs. / 25.5 kg
	GC4241HB	59 lbs. / 26.8 kg
Shipping Cube		30.5 ft³ / 0.86 m³

24 inch Seat Hip Chair and Bariatric Hip Chair (Models: GC4231-24, GC4241-24)

Overall Depth		28.75 in / 730 mm
Overall Width	GC4231-24	26.5 in / 673 mm
	GC4241-24	37.5 in / 953 mm
Overall Height		43.5 in / 1105 mm
Seat Depth		18 in / 457 mm
Seat Width	GC4231-24	22 in / 559 mm
	GC4241-24	32.5 in / 826 mm
Seat Height		24 in / 610 mm
Back Height - From Seat		19.5 in / 495 mm
Armrest Clearance	GC4231-24	21 in / 533 mm
	GC4241-24	32 in / 813 mm
Arm Height - From Seat		7.5 in / 191 mm
Product Weight	GC4231-24	45 lbs. / 20.5 kg
	GC4241-24	64 lbs. / 29.1 kg
Shipping Cube	GC4231-24	24.25 ft³ / 0.69 m³
	GC4241-24	33.5 ft³ / 0.95 m³

Contact sales representative for more information.

Features

- Designed for active and transient environments with rigorous demands
- Wall saver leg design prevents back contact with wall
- Easy grip, forward extending urethane armcaps
- All seating shipped fully assembled

MODELS: GC4230[HB], GC4231[HB], GC4232[HB], GC4233[HB], GC4234[HB], GC4235[HB], GC4236[HB], GC4241[HB]

- Alternate models are available with linking brackets on left, right or both sides of seating. These allow installation of bridging tables or seats between two linking seating models (end tables are also available for linking to a single seating models)

MODELS: GC4240, GC4240HB, GC4243, GC4243HB, GC4245HB

- Chairs have rear tip and move wheels for easy relocation of an unoccupied chair

MODELS: GC4242, GC4242HB, GC4243, GC4243HB

- Flex back chairs with tension control mechanisms
- Flex backs have a 14° movement range (requires 10.5 in [467 mm] wall clearance)

Options

- Frame is standard in Tungsten. Also available in 12 other colors
- Armcaps are standard in Black urethane. Also available in five other colors or in 27 different wood finishes
- Frame can be weighted and made with tamperproof fasteners, for greater security
- For hard surface floors, non-marking glides are available



GC4233B



GC4235HBR

COM Yardage

Yardage is based on unmatched materials with widths of 54 in for seating

MODELS: GC4230, GC4231, GC4231-24, GC4240, GC4242, GC4243
- Back: 1.00 yards
- Seat: 0.75 yards
- Total: 1.75 yards

MODELS: GC4230HB, GC4231HB, GC4240HB, GC4242HB, GC4243HB
- Back: 1.25 yards
- Seat: 0.75 yards
- Total: 2.00 yards

MODELS: GC4232, GC4234, GC4236
- Back: 1.50 yards
- Seat: 2.00 yards
- Total: 3.50 yards

MODELS: GC4232HB, GC4234HB, GC4236HB
- Back: 1.30 yards
- Seat: 2.70 yards
- Total: 4.00 yards

MODEL: GC4233
- Back: 3.40 yards
- Seat: 1.60 yards
- Total: 5.00 yards

MODEL: GC4233HB
- Back: 3.80 yards
- Seat: 1.95 yards
- Total: 5.75 yards

MODEL: GC4235
- Back: 3.00 yards
- Seat: 2.00 yards
- Total: 5.00 yards

MODEL: GC4235HB
- Back: 4.00 yards
- Seat: 1.75 yards
- Total: 5.75 yards

MODELS: GC4241, GC4241-24
- Back: 2.00 yards
- Seat: 1.00 yards
- Total: 3.00 yards

MODEL: GC4241HB
- Back: 1.25 yards
- Seat: 1.00 yards
- Total: 2.25 yards

MODELS: GC4244HB, GC4245HB
- Back: 1.25 yards
- Seat: 1.00 yards
- Total: 2.25 yards

Infection Control
- No Velcro on seat or back
- Seam sealing option
- Moisture barrier option
- Full 360° cleanout with 0.5 in (13 mm) wide gap between seat and back
- Seat and back cushions are removable and field replaceable
- Urethane armcaps are cleanable and nonporous
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application a clear water wipe down occur to avoid chemical build up that will lead to deterioration of the textile. Contact Global should information on using a specific disinfectant be required

Construction (Overall Frame)
- Elliptical steel tube frame
- Welded frame with corner gussets

Construction (Seat)

MODELS: GC4230[HB], GC4231[HB], GC4231-24, GC4232[HB], GC4233[HB], GC4234[HB], GC4235[HB], GC4236[HB], GC4240[HB], GC4242[HB], GC4243[HB], GC4244HB, GC4245HB
- 0.75 in (19 mm) thick plywood seat pan, 6-ply
- Synthetic suspension webbing

MODELS: GC4241[HB], GC4241-24
- 0.75 in (19 mm) thick plywood seat pan, 6-ply

Construction (Back)
- 0.625 in (16 mm) thick hardwood veneer back, 10-ply

Construction (Armcaps)
- Urethane armcaps
- Optional wood armcaps
- All armcaps are field replaceable

Construction (Glides and Casters)
- Black injection molded polypropylene/polyethylene glides
- Non-marking glides also available for hard surfaces

MODELS: GC4240, GC4240HB, GC4243, GC4243HB, GC4245HB
- 3 in (76 mm) diameter casters

Construction (Tables)
- Available on models GC4236, GC4236HB or bridge tables that connect to seating linking brackets
- High pressure laminate or thermally fused laminate table top

Upholstery
- Seat and back can be upholstered in fabric, vinyl or leather

Foam (Seat)
- 2.5 in (63 mm) thick Ultracell (high density) seat foam
- Density: 2.6 lbs. ILD: 35

Foam (Back)

MODELS: GC4230[HB], GC4231[HB], GC4231-24, GC4232[HB], GC4233[HB], GC4234[HB], GC4235[HB], GC4236[HB], GC4240[HB], GC4242[HB], GC4243[HB], GC4244HB, GC4245HB
- 2 in (51 mm) thick back foam
- Density: 1.8 lbs. ILD: 33

MODELS: GC4241[HB], GC4241-24
- 2 in (51 mm) thick back foam
- Density: 1.9 lbs. ILD: 39

Weight Capacity
MODELS: GC4230[HB], GC4231[HB], GC4231-24, GC4232[HB], GC4233[HB], GC4234[HB], GC4235[HB], GC4236[HB], GC4240[HB], GC4242[HB], GC4243[HB], GC4244HB, GC4245HB

- Active weight capacity of 500 lbs. per seat

MODELS: GC4241[HB], GC4241-24

- Bariatric chairs have active weight capacity of 750 lbs. per seat

Warranty
Lifetime warranty on all components except the following:

- Five year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating
All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL 117-2013) standards.

Environmental
View Environmental Data Sheets online.
All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.