gc sidero seating | product specification

Low Back Multi-Purpose Side Chairs
Models: GC6900, GC6901, GC6902, GC6903, GC6912, GC6913, GC6914, GC6915, GC6916, GC6917, GC6918, GC6919, GC6920, GC6921, GC6922, GC6923, GC6924, GC6925, GC6926, GC6927

Standard Width Seat, Chair Dimensions (Models: GC6900, GC6901, GC6902, GC6903, GC6913, GC6914, GC6915)

Overall Depth		24 in / 610 mm
Overall Width	GC6900, GC6902, GC6913, GC6914	26.5 in / 673 mm
	GC6901, GC6903, GC6915	21 in / 533 mm
Overall Height		33 in / 838 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		15.5 in / 394 mm
Armrest Clearance	GC6900, GC6902, GC6913, GC6914	21 in / 533 mm
Arm Height - From Seat	GC6900, GC6902, GC6913, GC6914	8.5 in / 216 mm
Product Weight		20-26 lbs. / 9.1-11.8 kg
Shipping Cube		11.25-13.5 ft³ / 0.32-0.38 m³

24 in Wide Seat, Chair Dimensions (Models: GC6916, GC6917, GC6918, GC6919, GC6924, GC6925, GC6926, GC6927)

Overall Depth		24 in / 610 mm
Overall Width	GC6916, GC6918, GC6924, GC6936	30.5 in / 775 mm
	GC6917, GC6919, GC6925, GC6927	26 in / 660 mm
Overall Height		33 in / 838 mm
Seat Depth		18 in / 457 mm
Seat Width		24 in / 610 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		15.5 in / 394 mm
Armrest Clearance	GC6916, GC6918, GC6924, GC6936	26 in / 660 mm
Arm Height - From Seat	GC6916, GC6918, GC6924, GC6936	8.5 in / 216 mm
Product Weight		22-28 lbs. / 10.0-12.7 kg
Shipping Cube		14.5-16 ft³ / 0.41-0.45 m³

Bariatric Chair Dimensions (Models: GC6920, GC6921, GC6922, GC6923)

Overall Depth		26 in / 660 mm
Overall Width		36.5 in / 927 mm
Overall Height		33 in / 838 mm
Seat Depth		18 in / 457 mm
Seat Width		30 in / 762 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		15.5 in / 394 mm
Armrest Clearance		32 in / 813 mm
Arm Height - From Seat		8.5 in / 216 mm
Product Weight	GC3920, GC6923	36 lbs. / 16.4 kg
	GC3921, GC3922	38 lbs. / 17.3 kg
Shipping Cube		19 ft³ / 0.54 m³

Contact sales representative for more information.



GC6900



GC6902

Features

- Wall saver leg design prevents chair back from contacting walls before legs contact baseboards
- Front edge of seat is a seamless waterfall

MODELS: GC6900, GC6901, GC6912, GC6913, GC6916, GC6917, GC6920, GC6923, GC6924, GC6925

- Four leg stacking chair

MODELS: GC6902, GC6903, GC6914, GC6915, GC6918, GC6919, GC6921, GC6922, GC6926, GC6927

- Sled base chair

MODELS: GC3600, GC6902, GC6913, GC6914, GC6916, GC6918, GC6920, GC6921, GC6922, GC6923, GC6924, GC6926

- Full length armrests

MODELS: GC6900, GC6901, GC6912, GC6913, GC6924

- Chairs stack up to five high on floor and up to eight high on chair dolly

MODELS: GC6916, GC6917, GC6925

- Chairs stack up to five high on floor

MODELS: GC6920, GC6923

- Chairs stack up to two high on floor

MODELS: GC6900, GC6901, GC6902, GC6903, GC6922, GC6923, GC6924, GC6925, GC6926, GC6927

- Concealed attachment hardware

MODELS: GC6912, GC6913, GC6914, GC6915, GC6916, GC6917, GC6918, GC6919, GC6920, GC6921

- Single piece back with pullover upholstery cover

Options

- Chrome finish available for chair frame
- Moisture barrier liner can be specified on seat (only) as an option

MODELS: GC6900, GC6901, GC6912, GC6913, GC6924, GC6916, GC6917, GC6920, GC6923, GC6925

- Several frame and glide options available

COM Yardage

Yardage is based on unmatched materials with widths of 54 in for seating

MODELS: GC6900, GC6901, GC6903, GC6912, GC6913, GC6914, GC6915

- Full Unit: 1.25 yards
- Back: 0.50 yards
- Seat: 0.75 yards

MODELS: GC6902, GC6916, GC6917, GC6918, GC6919

- Full Unit: 1.75 yards
- Back: 0.75 yards
- Seat: 1.00 yards

MODELS: GC6920, GC6921, GC6922, GC6923, GC6924, GC6925, GC6926, GC6927

- Full Unit: 2.50 yards
- Back: 1.50 yards
- Seat: 1.00 yards

Infection Control

- For enhanced housekeeping and infection control, chairs are available with completely sealed seat underside and completely sealed backs. Under seat shroud would be removed for these models (where normally present)
- No Velcro on seat
- Seam sealing option
- Moisture barrier liner option
- Single piece back and concealed attachment hardware options
- 1 in (25 mm) waterfall cleanout between seat and back cushions allowing easy cleaning
- Nylon arms are cleanable and non-porous
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application a clear water wipe down occur to avoid chemical build up that will lead to deterioration of the textile. Contact Global should information on using a specific disinfectant be required

On Site Repair and Replacement

- Glides or casters are replaceable on site

Construction (Base Frame)
- Frame is constructed with 0.875 in (22 mm) diameter tubing
- 12 gauge steel tube

Construction (Arms)
- Fiberglass reinforced nylon arms on steel frame
- 2.125 in (54 mm) wide, full length of chair

Construction (Seat)
- Plastic seat pan
- Seat is fastened to brackets on steel frame

MODELS: GC6900, GC68901, GC6902, GC6903, GC6913, GC6914, GC6915
- Underside of seat and frame are covered with polypropylene shroud

MODELS: GC6916, GC6917, GC6918, GC6919, GC6920, GC6921, GC6922, GC6923, GC6924, GC6925, GC6926, GC6927
- Vinyl covered seat underside

Construction (Back)
- Plastic seat pan
- Plywood panel on back side is 0.125 in (3 mm) thick

Construction (Glides)

MODELS: GC6900, GC6901, GC6912, GC6913, GC6924, GC6916, GC6917, GC6920, GC6923, GC6925
- Standard with four black, polypropylene glides. Non-marking glides available on request
- Steel, self-leveling glides also available
- Dual wheel casters may be substituted for glides

Upholstery
- Can be upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Foam
- Back foam is 1 in (25mm) thick. Density: 1.5 lbs., ILD: 40
- Seat foam is 2 in (51mm) thick molded foam

Weight Capacity

MODELS, GC6900, GC68901, GC6902, GC6903, GC6913, GC6914, GC6915
- Active weight capacity of 300 lbs. per seat

MODELS: GC6916, GC6917, GC6918, GC6919, GC6920, GC6921, GC6922, GC6923, GC6924, GC6925, GC6926, GC6927
- Active weight capacity of 500 lbs. per seat

Warranty

Lifetime warranty on all components except the following:
- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL 117-2013) standards.

Environmental

View Environmental Data Sheets online.
All foam is produced without using any ozone depleting chloroflouro chemicals.

Awards/Certifications
- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.