gc sidero seating | product specification

High Back Multi-Purpose Side Chairs
Models: GC6900HB, GC6901HB, GC6902HB, GC6903HB, GC6912HB, GC6913HB, GC6914HB, GC6915HB, GC6916HB, GC6917HB, GC6918HB, GC6919HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB

High Back Bariatric Chairs
Models: GC6920HB, GC6921HB, GC6922HB, GC6923HB

Standard Width Seat, Chair Dimensions (Models: GC6900HB, GC6901HB, GC6902HB, GC6903HB, GC6913HB, GC6914HB, GC6915HB)

Overall Depth		24 in / 610 mm
Overall Width	GC6900HB, GC6902HB, GC6913HB, GC6914HB	25.5 in / 648 mm
	GC6901HB, GC6903HB, GC6915HB	21 in / 533 mm
Overall Height		38.5 in / 978 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		21 in / 533 mm
Armrest Clearance	GC6900HB, GC6902HB, GC6913HB, GC6914HB	21 in / 533 mm
Arm Height - From Seat	GC6900HB, GC6902HB, GC6913HB, GC6914HB	8.5 in / 216 mm
Product Weight		22-28 lbs. / 10.0-12.7 kg
Shipping Cube		14.5-15.25 ft³ / 0.41-0.43 m³

24 in Wide Seat, Chair Dimensions (Models: GC6900HB, GC6901HB, GC6902HB, GC6903HB, GC6913HB, GC6914HB, GC6915HB)

Overall Depth		24 in / 610 mm
Overall Width	GC6916HB, GC6918HB, GC6924HB, GC6926HB	30.5 in / 775 mm
	GC6917HB, GC6919HB, GC6925HB, GC6927HB	26 in / 660 mm
Overall Height		38.5 in / 978 mm
Seat Depth		18 in / 457 mm
Seat Width		24 in / 610 mm
Seat Height		17.5 in / 445 mm
Back Height - From Seat		21 in / 533 mm
Armrest Clearance	GC6916HB, GC6918HB, GC6924HB, GC6926HB	26 in / 660 mm
Arm Height - From Seat	GC6916HB, GC6918HB, GC6924HB, GC6926HB	8.5 in / 216 mm
Product Weight		25-31 lbs. / 11.4-14.1 kg
Shipping Cube		17.25-18.25 ft³ / 0.49-0.52 m³

Bariatric Chair Dimensions (Models: GC6920HB, GC6921HB, GC6922HB, GC6923HB)

Overall Depth	26 in / 660 mm
Overall Width	36.5 in / 927 mm
Overall Height	39.5 in / 1003 mm
Seat Depth	19 in / 483 mm
Seat Width	30 in / 762 mm
Seat Height	18.25 in / 464 mm
Back Height - From Seat	21.75 in / 552 mm
Armrest Clearance	32.25 in / 819 mm
Arm Height - From Seat	8.25 in / 210 mm
Product Weight	35 lbs. / 15.9 kg
Shipping Cube	22.5 ft³ / 0.64 m³

Contact sales representative for more information.



GC6912HB



GC6913HB

Features

- Wall saver leg design prevents chair back from contacting walls before legs contact baseboards

MODELS: GC6900HB, GC6901HB, GC6912HB, GC6913HB, GC6916HB, GC6917HB, GC6924HB, GC6925HB

- Four leg stacking chair

MODELS: GC6920HB, GC6923HB

- Four leg bariatric chair

MODELS: GC6902HB, GC6903HB, GC6914HB, GC6915HB, GC6918HB, GC6919HB, GC6921HB, GC6922HB, GC6926HB, GC6927HB

- Sled base chair

MODELS: GC3600HB, GC6902HB, GC6913HB, GC6914HB, GC6916HB, GC6918HB, GC6924HB, GC6926HB

- Full length armrests

MODELS: GC6900HB, GC6901HB, GC6912HB, GC6913HB, GC6924HB

- Chairs stack up to five high on floor and up to eight high on chair dolly

MODELS: GC6916HB, GC6917HB, GC6925HB

- Chairs stack up to five high on floor

MODELS: GC6900HB, GC6901HB, GC6902HB, GC6903HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB

- Concealed attachment hardware

MODELS: GC6912HB, GC6913HB, GC6914HB, GC6915HB, GC6916HB, GC6917HB, GC6918HB, GC6919HB, GC6920HB, GC6921HB

- Single piece back with pullover upholstery cover

Options

- Chrome frame available
- Sealed seam option available
- Additional moisture barrier available

MODELS: GC6900HB, GC6901HB, GC6912HB, GC6913HB, GC6920HB, GC6923HB, GC6924HB, GC6916HB, GC6917HB, GC6925HB

- Several frame and glide options available

COM Yardage

Yardage is based on unmatched materials with widths of 54 in for seating

MODELS: GC6900HB, GC6901HB, GC6902HB, GC6903HB, GC6912HB, GC6913HB, GC6914HB, GC6915HB

- Full Unit: 1.75 yards
- Back: 1.00 yards
- Seat: 0.75 yards

MODELS: GC6916HB, GC6917HB, GC6918HB, GC6919HB

- Full Unit: 2.00 yards
- Back: 1.00 yards
- Seat: 1.00 yards

MODELS: GC6920HB, GC6921HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB

- Full Unit: 2.75 yards
- Back: 1.75 yards
- Seat: 1.00 yards

MODELS: GC6922HB, GC6923HB

- Full Unit: 3.00 yards
- Back: 2.00 yards
- Seat: 1.00 yards

Infection Control

- For enhanced housekeeping and infection control, chairs are avilable with completely sealed seat underside and completely sealed backs. Under seat shroud would be removed for these models (where normally present)
- No Velcro on seat
- Additional moisture barrier option
- Single piece back and concealed attachment hardware options
- 1 in (25mm) waterfall cleanout between seat and back cushions allowing easy cleaning
- Nylon arms are cleanable and non-porous
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application a clear water wipe down occur to avoid chemical build up that will lead to deterioration of the textile. Contact Global should information on using a specific disinfectant be required

On Site Repair and Replacement

- Glides or casters are replaceable on site

Construction (Base Frame)

- Frame is constructed with 0.875 in (22 mm) diameter tubing
- 12 gauge steel tube

Construction (Arms)
- Fiberglass reinforced nylon arms on steel frame
- 2.125 in (54 mm) wide, full length of chair

Construction (Seat)
- Plastic seat pan
- Seat is fastened to brackets on steel frame

MODELS: GC6900HB, GC68901HB, GC6902HB, GC6903HB, GC6913HB, GC6914HB, GC6915HB
- Underside of seat and frame are covered with polypropylene shroud

MODELS: GC6916HB, GC6917HB, GC6918HB, GC6919HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB
- Vinyl covered seat underside

Construction (Back)
- Plastic back pan

Construction (Glides)

MODELS: GC6900HB, GC6901HB, GC6912HB, GC6913HB, GC6924HB, GC6916HB, GC6917HB, GC6920, GC6923, GC6925HB
- Standard with four black, polypropylene glides. Non-marking glides available on request
- Steel, self-leveling glides also available

MODELS: GC6900HB, GC6901HB, GC6912HB, GC6913HB, GC6924HB, GC6916HB, GC6917HB, GC6925HB
- Dual wheel casters may be substituted for glides

Upholstery
- Can be upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Foam
- Back foam is 1 in (25 mm) thick. Density: 1.5 lbs., ILD: 40

MODELS: GC6900HB, GC6901HB, GC6912HB
- Seat foam is 1.5 in (38 mm) thick molded foam

MODELS: GC6902HB, GC6903HB, GC6913HB, GC6914HB, GC6915HB, GC6916HB, GC6917HB, GC6918HB, GC6919HB, GC6920HB, GC6921HB, GC6922HB, GC6923HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB
- Seat foam is 2 in (51 mm) thick Ultracell (high density) foam

Weight Capacity

MODELS: GC6900HB, GC68901HB, GC6902HB, GC6903HB, GC6913HB, GC6914HB, GC6915HB
- Active weight capacity of 300 lbs. per seat

MODELS: GC6916HB, GC6917HB, GC6918HB, GC6919HB, GC6920HB, GC6921HB, GC6922HB, GC6923HB, GC6924HB, GC6925HB, GC6926HB, GC6927HB
- Active weight capacity of 500 lbs. per seat

Warranty

Lifetime warranty on all components except the following:
- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View Environmental Data Sheets online.
All foam is produced without using any ozone depleting chloroflouro chemicals.

Awards/Certifications
- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.